

## **Historic, Archive Document**

Do not assume content reflects current scientific knowledge, policies, or practices.



6-10-2  
1902

# Biltmore Nursery

WHOLESALE TRADE-LIST

SEASON OF 1901-1902



# BILTMORE NURSERY

## BILTMORE, NORTH CAROLINA

**THE BILTMORE NURSERY** was established in 1889. For ten years almost the entire output was used on the Biltmore Estate in the extensive landscape and forest plantations. In 1898 a small surplus of stock was offered to the trade by means of a typewritten list and circular, and during the season 1899-1900 the first formal catalogue or trade-list was issued. In this, our third published price-list, is offered the stock of the present season, which consists wholly of ornamentals. We have no connection whatever with any other nursery, and employ no agents, all of our business being transacted from our office at Biltmore, North Carolina.

**THE LOCATION** is in the heart of the mountains of Western North Carolina, at an elevation of about two thousand feet above sea-level, where the temperature ranges from 90° above to 12° below zero. The variations in temperature peculiar to the Southern Alleghany Region, its evenly distributed and bountiful rainfall, long growing season, and rich but shallow soil, combine to produce a

**QUALITY OF STOCK** unusually good in root-formation, thriftiness, and hardiness. All our stock is nursery-grown; we do not offer cheap, 'collected plants.'

**LANDSCAPE ARCHITECTS** will find our stock particularly suited to the demands of forest, park, and suburban planting.

**PROPAGATING CAPACITY.** Our greenhouses and coldframes cover an area of 34,000 square feet which, in connection with seed beds of more than ten acres extent, trained men, and a variety of carefully tilled soils, give us special facilities for furnishing rooted cuttings, seedlings, and transplanted plants.

**NURSERYMEN** will find the small plants particularly valuable for transplanting into nursery rows.

**FREE FROM INSECTS AND FUNGOUS PESTS.** The stock of the Biltmore Nursery has been inspected by the State Entomologist, and is pronounced free from all insects designated as dangerous pests, and apparently healthy in every respect.

**A CERTIFICATE** of inspection will be sent with each shipment.

**PACKING.** The utmost care will be used in digging and preparing the plants for shipment, and charges for packing cases will be made on the following basis:

**BOXES** including packing and delivery to freight or express depots:

14 feet long, 30 x 30 inches . . . . .	\$3 25	each.
12 " " 30 x 30 " . . . . .	3 00	"
10 " " 30 x 30 " . . . . .	2 75	"
8 " " 30 x 30 " . . . . .	2 50	"
6 " " 24 x 24 " . . . . .	1 85	"

**BALES** according to size, including delivery to nearest station, 15 cents to \$2.50.

**DIRECTIONS FOR SHIPPING.** In the absence of explicit directions for mode of shipping, we will forward goods according to our best judgment.

**OUR RESPONSIBILITY.** All goods travel at purchaser's risk. We do not assume any responsibility for the safe delivery and condition of goods after shipment, except for our own mistakes, unless the terms of agreement so specify and guarantee. We are most careful to have all our plants correctly labeled, and hold ourselves prepared to replace, on proper proof, all that may prove untrue free of cost, or to refund the amount paid therefor; but it is understood that, in case of error on our part, we shall at no time be held responsible for a greater amount than the invoice price of the goods.

**RATES.** The prices in this list apply to quantities specified, but two hundred and fifty will be furnished at the thousand rate, twenty-five at the hundred rate, and five at the ten rate. Special discounts given on very large orders.

**TERMS CASH** on or before delivery to forwarding agents, unless by special arrangement.

**NOTICE.** All orders placed with us will be accepted only upon the condition that, should stock be injured by drought, frost, or other casualties before the shipping season, they are to be void.

**CLAIMS.** Should any errors occur we desire to be informed upon receipt of goods, in order that we may rectify them without serious delay.

**PACKING SEASON.** We ship from October 1 to May 1, with slight interruptions during midwinter.

**FREIGHT RATES** in effect October 1, 1901, from Biltmore to several points are here shown.

ROUTE	PER HUNDRED POUNDS TO							
	BALTIMORE, PHILADELPHIA, NEW YORK, PROVIDENCE AND				N. Y. BOSTON.			
	MD.		PA.		CL		LCL	
Rail and Water . . .	37	50	40	55	40	55	45	60
All Rail . . . . .	42	58	45	63	45	63	50	68

**Special inducements offered on nursery stock delivered anywhere in the United States. Write for quotations on your wants.**

Address all communications to

BILTMORE NURSERY,

Buncombe County.

Biltmore, North Carolina.

# TREES

"S" signifies seedlings not transplanted: "tr." signifies stock has been transplanted.

		Height	Per 10	100	1,000
<b>Abies douglasii.</b> See <b>Pseudotsuga mucronata.</b>					
" <b>fraseri</b> , Fraser's Balsam Fir . . . . .	twice tr.	2½ to 3 ft.	\$1 25	\$8 00	
" <b>nordmanniana</b> , Nordmann's Fir . . . . .	twice tr.	3 to 4 ft.	6 00		
" <b>webbiana</b> , Webb's Fir . . . . .	S.	4 to 6 in.	1 00		
<b>Acer campestre</b> , English Field Maple . . . . .	tr.	1 to 1½ ft.	65	5 50	\$50 00
" " " " " . . . . .	tr.	2 to 2½ ft.	2 00	16 50	150 00
" <b>glabrum</b> , Dwarf or Rocky Mountain Maple . . . . .	tr.	1 ft.	50	4 00	
" <b>japonicum</b> , Japanese Maple . . . . .	S.	4 to 6 in.	50	4 00	
" <b>leucoderme</b> , White-barked Maple . . . . .	S.	3 to 5 in.	50	4 00	
" " " " " . . . . .	tr.	1 to 1½ ft.	1 50	12 00	
" <b>macrophyllum</b> , Oregon or Broad-leaved					
Maple . . . . .	tr.	1 to 2 ft.	50	4 00	
" <b>negundo</b> , Ash-leaved Maple . . . . .	S.	6 to 9 in.	1 00	7 50	
" " " " " . . . . .	tr.	8 to 12 in.	1 75	15 00	
" " " " " . . . . .	tr.	5 to 7 ft.	65	5 50	50 00
" <b>nigrum</b> , Black Sugar Maple . . . . .	S.	3 to 5 in.	1 00	7 50	
" " " " " . . . . .	tr.	1½ to 2 ft.	3 50		
" <b>palmatum</b> , Palmate-leaved Maple . . . . .	tr.	1 ft.	5 00		
" <b>pennsylvanicum</b> , Striped Maple . . . . .	S.	3 to 5 in.	1 00	7 50	
" <b>rubrum</b> , Red Maple . . . . .	S.	4 to 6 in.	1 00	7 50	
" " " " " . . . . .	S.	6 to 10 in.	1 25	10 00	
" " " " " . . . . .	tr.	1½ to 2 ft.	50	3 00	25 00
" " " " " . . . . .	tr.	2½ to 3 ft.	75	5 50	50 00
" " " " " . . . . .	tr.	4 to 5 ft.	1 50	12 00	
" <b>saccharinum</b> ( <i>A. dasycarpum</i> ), Silver Maple . . . . .	tr.	2 to 2½ ft.	1 00	8 00	
" <b>saccharum</b> , Sugar Maple . . . . .	S.	3 to 5 in.	1 00	7 50	
" " " " " . . . . .	tr.	1 to 2 ft.	3 00		
" <b>spicatum</b> , Mountain Maple . . . . .	S.	3 to 6 in.	1 00	7 50	
" <b>tataricum</b> , Tartarian Maple . . . . .	S.	3 to 6 in.	1 00	7 50	
<b>Aesculus octandra</b> ( <i>E. flava</i> ), Sweet or Yellow					
Buckeye . . . . .	S.	6 in.	1 50	12 00	
" " " " " . . . . .	tr.	1 to 2 ft.	2 50	20 00	
" " " " " . . . . .	twice tr.	3 to 4 ft.	1 00	7 50	
" " " " " . . . . .	twice tr.	5 to 6 ft.	2 50	22 00	
<b>Ailanthus glandulosa</b> , Tree-of-Heaven . . . . .	S.	6 to 10 in.	1 00	7 50	
<b>Alnus incana</b> , Speckled or Hoary Alder . . . . .	tr.	1½ to 2 ft.	50	4 00	35 00
<b>Amelanchier botryapium</b> , Shad-bush . . . . .	tr.	1 to 2 ft.	75	6 50	60 00
<b>Betula lenta</b> , Sweet Birch . . . . .	tr.	1½ to 2 ft.	3 00	27 50	
" " " " " . . . . .	tr.	3½ to 4½ ft.	75	5 00	45 00
" " " " " . . . . .	tr.	5 to 6 ft.	1 00	8 00	75 00
" <b>nigra</b> , Red or River Birch . . . . .	tr.	5 to 7 ft.	75	6 50	60 00
<b>Biota</b> . See <b>Thuya</b> .					
<b>Carpinus caroliniana</b> , American Hornbeam . . . . .	tr.	1 to 2 ft.	1 00	7 00	65 00
" " " " " . . . . .	tr.	2 to 3 ft.	2 00	17 50	
<b>Carya</b> . See <b>Hicoria</b> .					
<b>Cedrus deodara</b> , Indian Cedar . . . . .	tr.	4 to 6 in.	1 50	12 50	100 00
<b>Celtis chinensis</b> , Chinese Hackberry . . . . .	S.	6 to 8 in.	1 00	7 50	
" <b>tenuifolia</b> , Long-leaved Hackberry . . . . .	tr.	3 to 5 ft.	1 50	12 50	
<b>Cerasus</b> . See <b>Prunus</b> .					

## TREES, continued

		Height	Per 100	1,000
<b>Cercis canadensis</b> , Red-bud or Judas-tree . . . . S.	4 to 6 in.	\$1 00	\$7 50	
" <b>occidentalis</b> , Western Judas-tree . . . . tr.	2 ft.	\$1 50		
<b>Chamæcyparis lawsoniana</b> , Lawson's Cypress . . . . .	2 to 2½ ft.	2 00		
" <b>nootkatensis</b> , Nootka Sound Cypress . . . . .	twice tr.	2 00		
" <b>obtusa</b> . . . . .	twice tr.	2 00		
" <b>pisifera filifera</b> ( <i>Retinospora</i> ).twice tr.	3 to 4 ft.	5 00		
" " <b>plumosa</b> . . . . .	twice tr.	1 ft.	1 50	
" " <b>squarrosa</b> . . . . .	twice tr.	2 ft.	2 50	
" <b>thyoides andelyensis</b> ( <i>C. spheroidea andelyensis</i> ), Andelys Cedar . . . . .	twice tr.	1½ to 2 ft.	2 00	
<b>Cornus florida</b> , White-flowered Dogwood . . . . S.	6 to 12 in.	1 00	9 00	
" " " " " . . . . tr.	6 to 12 in.	50	3 50	18 00
For other species, see Shrubs.				
<b>Crataegus apiifolia</b> , Parsley-leaved Thorn . . . . tr.	5 to 8 in.	1 00	6 50	60 00
" <b>aprica</b> . . . . .	1 to 1½ ft.	1 00	6 50	60 00
" " " " " . . . . tr.	1½ to 2 ft.	1 25	8 00	75 00
" <b>boytoni</b> , Boynton's Thorn . . . . .	1 ft.	1 00	7 50	70 00
" <b>buckleyi</b> , Buckley's Thorn . . . . .	1 ft.	1 00	7 50	70 00
" <b>collina</b> , Hillside Thorn . . . . .	1½ to 2 ft.	1 00	7 50	70 00
" <b>cordata</b> , Washington Thorn . . . . .	1 to 1½ ft.	1 00	7 50	
" " " " " . . . . tr.	2 to 3 ft.	1 50	10 00	
" <b>crus-galli</b> , Cockspur Thorn . . . . .	1 ft.	75	5 00	45 00
" " " " " . . . . tr.	1½ to 2 ft.	1 00	7 50	70 00
" <b>oxyacantha</b> , White or May Thorn . . . . S.	6 to 8 in.	1 00	8 00	
" <b>punctata</b> , Large-fruited Haw . . . . .	4 to 6 in.	2 00	17 50	
" " " " " . . . . tr.	6 to 12 in.	75	5 00	45 00
" <b>spathulata</b> , Small-fruited Haw . . . . S.	6 to 12 in.	3 00	20 00	
" " " " " . . . . tr.	1 ft.	1 00	7 50	70 00
" <b>tomentosa</b> , Pear Haw . . . . .	2 ft.	1 00	7 50	
" <b>uniflora</b> , One-flowered Thorn . . . . .	1 ft.	1 00	7 50	
" <b>vailiae</b> , Vail's Haw . . . . .	1 ft.	1 00	7 50	
" <b>viridis</b> , Southern Haw . . . . . S.	6 to 12 in.	3 00	20 00	
" " " " " . . . . tr.	1½ to 2 ft.	1 00	7 50	
<b>Cryptomeria japonica</b> . . . . .	6 in.	75	6 00	
" " " " " . . . . tr.	6 in.	1 00	8 00	75 00
<b>Diospyros virginiana</b> , Persimmon . . . . . tr.	2 ft.	50	4 00	35 00
" " " " " . . . . tr.	2½ to 3½ ft.	75	5 00	45 00
" " " " " . . . . tr.	4 to 6 ft.	1 00	6 50	60 00
<b>Fraxinus americana</b> , American White Ash . . . . tr.	3 to 4 ft.	50	4 00	35 00
" " " " " . . . . tr.	5 to 6 ft.	60	5 00	45 00
" " " " " . . . . twice tr.	7 to 9 ft.	1 00	7 00	65 00
" <b>biltmoreana</b> , Biltmore Ash . . . . S.	1 to 1½ ft.	2 00	15 00	
" <b>lanceolata</b> ( <i>F. viridis</i> ), Green Ash . . . tr.	5 to 7 ft.	50	4 00	37 50
" " " " " . . . . tr.	8 to 10 ft.	1 00	6 50	62 50
" <b>nigra</b> , Black Ash . . . . .	1 to 1½ ft.	2 00	18 00	
" <b>pennsylvanica</b> ( <i>F. pubescens</i> ), Red Ash . tr.	1 to 1½ ft.	2 00	18 00	
" " " " " . . . . tr.	5 to 6 ft.	75	4 00	37 50
" " " " " . . . . tr.	7 to 8 ft.	1 00	6 50	60 00
" " " " " . . . . tr.	9 to 10 ft.	1 50	12 00	100 00
<b>Ginkgo biloba</b> , Maidenhair Tree . . . . . tr.	3 to 6 in.	3 50	30 00	
<b>Gleditschia aquatica</b> , Water Locust . . . . . tr.	1 to 1½ ft.	2 00	17 50	
" " " " " . . . . tr.	2 to 2½ ft.	50	4 00	35 00
" <b>triacanthos</b> , Honey Locust . . . . . tr.	1 to 1½ ft.	2 00	17 50	
<b>Gymnocladus dioica</b> ( <i>G. canadensis</i> ), Kentucky Coffee Tree . . . . . tr.	3 to 4 ft.	1 00	8 00	

## TREES, continued

		Height	Per 10	100	1,000
<b>Halesia.</b> See <b>Mohrodendron.</b>					
<b>Hicoria alba</b> ( <i>Carya tomentosa</i> ), White-Heart					
Hickory . . . . .	S.	3 to 4 in.	\$2 00	\$17 50	
" "	tr.	1 ft.	\$0 75	5 00	
" <b>aquatica</b> ( <i>C. aquatica</i> ), Water Hickory	tr.	6 to 10 in.	1 00	7 75	
" <b>minima</b> ( <i>C. amara</i> ), Bitternut . . . . .	S.	6 to 8 in.	1 75	15 00	
" "	tr.	6 to 8 in.	50	3 00	27 50
<b>Ilex opaca</b> , American Holly . . . . .	tr.	1 to 1½ ft.	2 00	17 50	
For other species, see Shrubs.					
<b>Juglans cinerea</b> , Butternut . . . . .	tr.	6 ft.	2 50		
" <b>mandschurica</b> . . . . .	S.	1 ft.	1 00	8 00	
" <b>nigra</b> , Black Walnut . . . . .	S.	1½ to 2 ft.			10 00
" "	tr.	3 to 4 ft.	75	5 00	45 00
" "	twice tr.	3 to 4 ft.	1 00	7 00	65 00
" "	twice tr.	5 to 6 ft.	1 25	10 00	95 00
<b>Juniperus.</b> See <b>Shrubs.</b>					
<b>Kœlreuteria paniculata</b> . . . . .	tr.	3½ to 4 ft.	1 50	12 50	
<b>Libocedrus decurrens</b> , Post Cedar . . . . .	tr.	1½ to 2 ft.	1 00	7 50	
<b>Liquidambar styraciflua</b> , Sweet Gum . . . . .	tr.	3 to 4 ft.	1 50	12 00	
" "	tr.	5 to 6 ft.	1 75	15 00	
<b>Liriodendron tulipifera</b> , Tulip-tree . . . . .	tr.	7 to 9 ft.	1 50	12 50	100 00
" "	tr.	10 to 12 ft.	2 00	17 50	150 00
" "	tr.	13 to 14 ft.	4 00	35 00	300 00
<b>Magnolia acuminata</b> , Cucumber-tree . . . . .	tr.	2 to 3 ft.	1 00	7 50	
" <b>conspicua</b> . . . . .	tr.	1 ft.	1 75	15 00	
" " <b>cyathiformis</b> , Yulan . . . . .	tr.	1 ft.	1 75	15 00	
" " <b>soulangeana</b> . . . . .	tr.	1 to 2 ft.	2 00	17 50	
" " <b>triumphans</b> . . . . .	tr.	2 to 3 ft.	3 50		
" <b>fœtida</b> ( <i>M. grandiflora</i> ), Southern Magnolia . . . . .	pots	6 to 12 in.	1 50	12 00	
" <b>fraseri</b> , Mountain Magnolia . . . . .	tr.	6 to 8 ft.	5 00	40 00	
" <b>kobus</b> , Japanese Magnolia . . . . .	tr.	6 to 10 in.	1 50	12 00	100 00
" "	tr.	1 to 2 ft.	2 00	17 50	
" "	twice tr.	3 to 4 ft.	3 50	30 00	
" "	twice tr.	7 to 8 ft.	5 00	40 00	
" <b>obovata</b> , Chinese Magnolia . . . . .	tr.	6 to 10 in.	1 00	8 00	75 00
" " <b>discolor</b> . . . . .	tr.	1 to 2 ft.	1 50	12 50	
" " <b>gracilis</b> . . . . .	tr.	2 to 3 ft.	2 00	15 00	
<b>Malus.</b> See <b>Pyrus.</b>					
<b>Mohrodendron carolinum</b> ( <i>Halesia tetrapetala</i> ),					
" " Silver Bell . . . . .	S.	4 to 6 in.	1 00	7 50	
" " "	tr.	1 to 1½ ft.	3 00	25 00	
" " "	tr.	2 to 3 ft.	50	4 00	35 00
" " "	tr.	3 to 4 ft.	60	5 00	45 00
" " "	tr.	5 to 6 ft.	75	6 00	55 00
" " "	tr.	7 to 8 ft.	1 00	7 50	70 00
<b>Negundo.</b> See <b>Acer negundo.</b>					
<b>Nyssa sylvatica</b> , Black or Sour Gum . . . . .	S.	1 ft.		2 00	
<b>Oxydendrum arboreum</b> , Sourwood . . . . .	tr.	1 to 1½ ft.	75	6 00	55 00
" " "	tr.	2 to 3 ft.	1 00	7 50	70 00
" " "	tr.	4 to 5 ft.	1 50	12 00	100 00
" " "	tr.	6 to 7 ft.	2 00	17 50	150 00
<b>Phellodendron amurense</b> . . . . .	tr.	8 to 12 in.		3 00	25 00
" " "	tr.	2½ to 3½ ft.	1 00	8 75	
<b>Picea canadensis</b> ( <i>P. alba</i> ), White Spruce . . . . .	tr.	2 to 3 ft.	1 25	10 00	85 00
" <b>excelsa</b> , Norway Spruce . . . . .	tr.	1 to 2 ft.	1 00	7 50	
" <b>marianna</b> , Black Spruce . . . . .	tr.	1½ to 2½ ft.	1 00	7 50	

## TREES, continued

		Height	Per 10	100	1,000
<b>Picea parryana</b> ( <i>P. pungens</i> ), Rocky Mountain Spruce . . . . .	tr.	1 to 1½ ft.	\$2 50	\$20 00	
<b>Pinus excelsa</b> , Himalayan Pine . . . . .	tr.	1½ to 2 ft.	2 50	20 00	
“ <b>laricio</b> . . . . .	S.	8 to 12 in.	1 00	7 50	
“ <b>monticola</b> , Mountain White Pine . . . . .	S.	8 to 10 in.	1 00	7 50	
“ <b>murrayana</b> , Tamarack Pine . . . . .	S.	6 to 10 in.	1 00		
“ <b>ponderosa</b> , Western Yellow Pine . . . . .	tr.	1 to 1½ ft.	1 00	7 50	
“ <b>strobos</b> , White Pine . . . . .	tr.	1 ft.	1 00		
“ “ With balls . . . . . \$1 each twice tr.		6 to 8 ft.			
“ <b>thunbergi</b> , Thunberg's Pine . . . . .	tr.	1 to 1½ ft.	1 50		
<b>Platanus occidentalis</b> , American Plane . . . . .	tr.	1½ to 2½ ft.	50	4 00	\$35 00
“ “ . . . . .	tr.	3 to 4 ft.	75	6 00	55 00
“ “ . . . . .	tr.	5 to 6 ft.	1 00	7 00	67 50
“ “ . . . . .	tr.	7 to 9 ft.	1 50	12 50	100 00
<b>Podocarpus japonica</b> , Japanese Yew . . . . .	tr.	1 to 1½ ft.	2 50	20 00	
<b>Populus balsamifera</b> , Balsam Poplar . . . . .	tr.	8 to 9 ft.	1 50	10 00	
“ <b>deltoides</b> , Carolina Poplar or Cottonwood . . . . .	tr.	2½ to 3½ ft.	50	4 00	
<b>Prunus americana</b> , Wild Yellow, or Red Plum . . . . .	tr.	1 to 2 ft.	50	4 00	35 00
“ “ . . . . .	tr.	2 to 3 ft.	1 00	7 50	70 00
“ <b>laurocerasus</b> . See <b>Shrubs</b> .					
“ <b>pendula</b> , Weeping Cherry . . . Own roots, tr.		1 ft.	1 00	7 50	
“ <b>pennsylvanica</b> , Wild Red Cherry . . . . .	tr.	8 ft.	2 00	15 00	
“ <b>serotina</b> , Wild Black Cherry . . . . . S.	6 to 8 in.		1 00	7 50	
“ “ . . . . .	tr.	1½ to 2 ft.	2 00	17 50	
“ “ . . . . . twice tr.		5 to 7 ft.	1 00	8 00	75 00
<b>Pseudotsuga mucronata</b> ( <i>Abies douglasii</i> ), Douglas' Spruce . . . . .	tr.	1 ft.	1 50	12 00	
“ “ . . . . .		3 ft.	3 00		
<b>Ptelea trifoliata</b> , Hop-tree . . . . . S.		3 to 6 in.		1 00	7 50
<b>Pyrus angustifolia</b> , Crab Apple . . . . . S.		4 to 6 in.		1 00	7 50
“ <b>arbutifolia</b> . See <b>Aronia</b> , under <b>Shrubs</b> .					
“ <b>baccata</b> , Small-fruited Crab . . . . .	tr.	1½ to 2½ ft.	75	6 00	55 00
“ <b>betulifolia</b> , Birch-leaved Pear . . . . .	tr.	6 to 7 ft.	2 00	15 00	
“ <b>coronaria</b> , Sweet-scented Crab . . . . . S.		4 to 6 in.		1 00	7 50
“ <b>japonica</b> . See <b>Shrubs</b> .					
“ <b>nigra</b> . See <b>Aronia</b> , under <b>Shrubs</b> .					
<b>Quercus alba</b> , White Oak . . . . . S.		4 to 8 in.		1 00	7 50
“ “ . . . . .	tr.	2 to 2½ ft.	1 00	7 50	70 00
“ “ . . . . .	tr.	3 to 3½ ft.	1 25	10 00	90 00
“ <b>cerris</b> , Turkey Oak . . . . .	tr.	1 ft.		5 00	
“ <b>coccinea</b> , Scarlet Oak . . . . . S.		8 to 10 in.		1 00	7 50
“ <b>dentata</b> , Japanese Oak . . . . .	tr.	4 to 5 ft.	4 50		
“ <b>lyrata</b> , Swamp, Overcup, or Post Oak . . . S.		1½ to 2 ft.		5 00	
“ <b>macrocarpa</b> , Mossy-cup Oak . . . . .	tr.	2½ to 3½ ft.	1 00	7 50	
“ <b>margarettae</b> , Ashe's Post Oak . . . . .	tr.	3 to 4 ft.	2 50	20 00	
“ <b>minor</b> ( <i>Q. stellata</i> ), Post or Iron Oak . . . .	tr.	2½ ft.	1 00		
“ <b>pagodæfolia</b> . . . . . S.		1½ to 2 ft.	1 00		
“ <b>prinus</b> , Chestnut Oak . . . . . S.		10 to 12 in.		1 00	7 50
“ <b>rubra</b> , Red Oak . . . . .	tr.	2½ to 3½ ft.	1 00	8 00	75 00
“ “ . . . . .	tr.	4 to 5 ft.	2 00	17 50	165 00
“ <b>serrata</b> . . . . .	tr.	2½ to 3½ ft.	5 00		
“ <b>texana</b> , Texan Red Oak . . . . .	tr.	1½ to 2 ft.	1 00	7 50	
“ “ . . . . .	tr.	3 to 4 ft.	2 50	20 00	175 00
<b>Rhododendron</b> . See <b>Shrubs</b> .					
<b>Robinia pseudacacia</b> , Yellow Locust . . . . . S.		6 to 12 in.		1 00	7 50
<b>Salix nigra</b> , Black Willow . . . . .	tr.	6 ft.	50	4 00	35 00
For other species, see <b>Shrubs</b> .					

## TREES, continued

		Height	Per 10	100	1,000
<b>Thuya occidentalis</b> , American Arborvitæ . . . . .	with balls, twice tr.	5 to 8 ft.	\$2 00	\$17 50	
" "	<b>aureo-maculata</b> . . . . .	5½ ft.	3 00		
" "	with balls, twice tr.				
" "	<b>fastigiata</b> ( <i>T. pyramidalis</i> ) . . .	6 to 8 ft.	3 50		
" "	with balls, twice tr.	3 to 4 ft.	3 00		
" "	<b>filicoides</b> . . . with balls, twice tr.	2½ ft.	3 00		
" "	<b>globosa</b> . . . with balls, twice tr.	3 to 3½ ft.	3 00		
" "	<b>hoopesi</b> . . . with balls, twice tr.	2½ ft.	3 00		
" "	<b>hudsonica</b> . . . with balls, twice tr.	3 ft.	3 00		
" "	<b>intermedia</b> . . . with balls, twice tr.	2½ ft.	2 50		
" "	" . . . with balls, twice tr.	1 to 2 ft.	50	4 50	\$40 00
" "	<b>reidi</b> . . . . . with balls, twice tr.	2½ to 3 ft.	75	6 00	55 00
" "	<b>orientalis</b> . . . . . with balls, twice tr.	5 ft.	1 00		
" "	<b>compacta</b> . . . . . with balls, twice tr.	3½ to 4 ft.			
" "	<b>densa glauca</b> . . . . . with balls, twice tr.	3 to 3½ ft.			
<b>Tilia americana</b> , American Linden . . . . .	tr.	1 to 2 ft.	50	4 50	\$40 00
" "	" . . . . . tr.	2½ to 3½ ft.	75	6 00	55 00
" "	<b>heterophylla</b> , White Basswood . . . . .	1 ft.			
<b>Tsuga canadensis</b> , Hemlock . . . . .	tr.	1 to 2 ft.	50	4 00	35 00
" "	<b>mertensiana</b> , Merten's Hemlock . . . . .	8 to 10 in.	1 00		
<b>Ulmus americana</b> , American or White Elm . . . . .	tr.	2 to 4 ft.	1 00	8 50	75 00
" "	" . . . . . tr.	5 to 6 ft.	1 25	10 00	90 00
" "	" . . . . . tr.	7 to 8 ft.	1 50	12 50	100 00
" "	" . . . . . tr.	9 to 10 ft.	2 00	17 50	

# SHRUBS

"S" signifies seedlings not transplanted; "tr." signifies stock has been transplanted.

		Height	Per 10	100	1,000
<b>Abelia chinensis</b> ( <i>A. rupestris</i> ), Chinese Abelia . . .	4-inch pots	8 to 10 in.	\$0 75	\$6 00	\$55 00
" "	tr.	1 ft.	1 00	7 00	65 00
" "	tr.	2 ft.	1 25	10 00	95 00
<b>Adelia acuminata</b> ( <i>Forestiera acuminata</i> ),	Pointed-leaved Adelia . . . tr.	3 ft.	50	3 50	30 00
" "	tr.	4 to 5 ft.	60	5 00	45 00
" "	tr.	5 to 6 ft.	65	5 50	50 00
" <b>ligustrina</b> ( <i>Forestiera ligustrina</i> ), Privet-leaved Adelia . . . . tr.	2 to 3 ft.	50	4 00		
" "	tr.	3 to 4 ft.	60	5 00	
<b>Althaea</b> . See <b>Hibiscus</b> .					
<b>Amelanchier botryapium</b> . See <b>Trees</b> .					
<b>Amorpha fruticosa</b> , False Indigo . . . . .	tr.	2 ft.	50	4 00	
" <b>virgata</b> , Mountain Indigo . . . . .	tr.	1 ½ ft.	50	4 00	35 00
<b>Andromeda ligustrina</b> . See <b>Xolisma ligustrina</b> .					
" <b>nitida</b> . See <b>Pieris nitida</b> .					
" <b>polifolia</b> , Wild Rosemary . . . . .	tr.	6 to 8 in.	75	5 00	
<b>Aralia spinosa</b> , Angelica Tree . . . . .	tr.	5 ft.	1 25	10 00	
<b>Arbutus unedo</b> . . . . .	tr.	1 ft.	1 00	8 00	
<b>Aronia arbutifolia</b> ( <i>Pyrus arbutifolia</i> ), Chokeberry. tr.		1 to 1 ½ ft.	75	6 00	55 00
" <b>nigra</b> ( <i>Pyrus nigra</i> ), Black Chokeberry . . tr.		6 to 8 in.	50	5 00	
<b>Azalea amoena</b> . . . . .	tr.	8 to 12 in.	2 50	20 00	
" <b>arborescens</b> , Tree Azalea . . . . .	pots	4 to 6 in.	50	4 00	35 00
" "	tr.	6 to 8 in.	75	5 00	45 00
" "	tr.	10 to 12 in.	1 00	8 50	80 00
" <b>lutea</b> ( <i>A. calendulacea</i> ), Flame Azalea . . pots		3 to 4 in.	50	4 00	35 00
" "	tr.	4 to 6 in.	60	5 00	45 00
" <b>nudiflora</b> , Pinkster-flower . . . . .	tr.	6 to 8 in.	75	6 00	55 00
" <b>viscosa</b> , Swamp Pink or Honeysuckle . . pots		4 to 6 in.		3 00	25 00
" "	tr.	6 to 8 in.	50	4 00	35 00
<b>Baccharis halimifolia</b> , Groundsel-bush or Pencil-tree . . . . .	tr.	1 to 1 ½ ft.	50	4 50	40 00
" "	tr.	2 ½ to 3 ½ ft.	65	5 50	50 00
<b>Berberis aquifolium</b> , Mahonia . . . . .	tr.	1 to 1 ½ ft.	1 00	8 00	
" <b>asiatica</b> , Asiatic Barberry . . . . .	tr.	2 ft.	1 00	8 00	
" <b>congestiflora</b> , Chilian Barberry . . . . tr.		1 to 1 ½ ft.	1 00	8 00	
" <b>fascicularis</b> . . . . .	tr.	1 ft.			
" <b>ilicifolia</b> , Holly-leaved Barberry . . . . tr.		1 ft.	1 00		
" <b>newberti</b> ( <i>B. aquifolium × vulgaris</i> ), Hybrid Barberry . . . . .	tr.	1 to 2 ft.	1 00	8 00	
" <b>repens</b> , Trailing Mahonia . . . . .	tr.	6 in.	1 50		
" <b>thunbergii</b> , Japanese or Thunberg's Barberry . . . . .	tr.	4 to 8 in.		2 50	20 00
" "	tr.	2 to 2 ½ ft.	50	4 50	40 00
<b>Biota</b> . See <b>Thuya</b> , under <b>Trees</b> .					
<b>Buddleia intermedia</b> ( <i>B. curviflora × lindleyana</i> ),					
Hybrid Buddleia . . . . .	tr.	2 to 2 ½ ft.	1 00	8 00	
" <b>japonica</b> , Japanese Buddleia . . . . tr.		2 ft.	1 00	8 00	
" <b>lindleyana</b> , Chinese Buddleia . . . . tr.		3 to 4 ft.	1 00	8 00	

## SHRUBS, continued

		Height	Per 100	100	1,000
<b>Butneria fertilis</b> ( <i>Calycanthus lavigatus</i> ), Smooth					
Strawberry Shrub . . . . .	S.	8 to 12 in.	\$3 00	\$25 00	
" " . . . . .	tr.	2½ to 3 ft.	\$1 00		
<b>Buxus sempervirens</b> , Box-tree . . . . .	tr.	1½ to 2 ft.	3 50		
" " <b>angustifolia</b> , Narrow-leaved					
Box-tree . . . . .	tr.	1½ ft.	3 50		
" " <b>arborescens</b> , Tall Box-tree .	tr.	6 to 8 in.		3 50	30 00
" " <b>handsworthi</b> , Handsworth's					
Box-tree . . . . .	tr.	1½ ft.	3 50		
" " <b>macrophylla</b> . . . . .	tr.	1½ ft.	3 50		
" " <b>navicularis</b> . . . . .	tr.	2 ft.	4 50		
" " <b>salicifolia</b> , Willow-leaved					
Box-tree . . . . .	tr.	1½ to 2 ft.	4 00		
" " <b>suffruticosa</b> , Dwarf Box-tree tr.		3 to 4 in.		2 75	25 00
<b>Calamintha caroliniana</b> . See <b>Clinopodium</b> .					
<b>Callicarpa purpurea</b> , Purple-fruited Callicarpa .	tr.	1 to 2 ft.	50	4 50	40 00
" " . . . . .	tr.	2 to 3 ft.	65	5 50	50 00
<b>Calluna vulgaris</b> , Scotch Heather . . . . .	pots	4 to 8 in.	60	5 00	
" " . . . . .	tr.	1½ ft.	1 00	8 00	75 00
<b>Calycanthus lavigatus</b> and <b>glaucus</b> . See <b>Butneria fertilis</b> .					
<b>Caryopteris mastacanthus</b> , Chinese Beardwort .	tr.	1 to 2 ft.	1 00	8 00	
<b>Cephalanthus occidentalis</b> , Button-bush . . . . .	tr.	1 to 1½ ft.	65	5 50	50 00
" " . . . . .	tr.	2 to 2½ ft.	1 00	8 00	75 00
<b>Chamædaphne calyculata</b> ( <i>Cassandra calyculata</i> ),					
Leather-leaf . . . pots		1 ft.	50	4 50	40 00
" " . . . . .	tr.	1 ft.	75	5 50	50 00
<b>Chionanthus virginica</b> , White Fringe-tree . . . tr.		6 to 10 in.	75	6 00	
<b>Citrus trifoliata</b> , Hardy Lemon . . . . .	tr.	8 to 12 in.	50	4 50	
<b>Clethra alnifolia</b> , Sweet Pepper-bush . . . . .	pots	6 to 12 in.	2 50	22 00	
" " . . . . .	tr.	8 to 12 in.	50	3 00	27 50
<b>Clinopodium carolinianum</b> ( <i>Calamintha caroliniana</i> ), Large-flowered Thyme . . . . .	tr.				
<b>Cornus alternifolia</b> , Alternate-leaved Dogwood .	tr.	1 ft.	1 50	10 00	
" " . . . . .	tr.	2 to 3 ft.	75	6 00	
" " <b>amomum</b> ( <i>C. sericea</i> ), Silky Dogwood .	S.	5 to 6 ft.	1 00	8 00	
" " . . . . .	tr.	6 to 12 in.	1 00	7 50	
" " <b>candidissima</b> , Paniced Cornel or Dogwood .		1 to 1½ ft.	50	4 50	40 00
" " <b>florida</b> . See <b>Trees</b> .		1 to 1½ ft.	60	5 00	45 00
" " <b>stolonifera</b> , Red Osier Cornel . . . . .	S.	5 to 8 in.		1 00	7 50
" " . . . . .	tr.	2 ft.	60	5 50	
" " . . . . .	tr.	3 ft.	75		
" " <b>stricta</b> , Stiff Dogwood . . . . .	tr.	5 to 6 ft.	1 00	8 00	75 00
<b>Corylus americana</b> , Hazel-nut . . . . .	S.	6 to 12 in.		5 00	
" " <b>tubulosa</b> . . . . .	tr.	3 ft.	1 00		
<b>Cotoneaster buxifolia</b> ( <i>C. hookeriana</i> ), Box-leaved					
Cotoneaster . . . . .	tr.	1 ft.	1 00	8 00	
" " <b>frigida</b> , Mountain Cotoneaster . . . tr.		1 ft.	1 00		
" " <b>microphylla</b> , Nepaulense Cotoneaster .	tr.	1 ft.	75	6 00	52 50
" " . . . . .	tr.	1½ to 2 ft.	1 00	8 00	
" " <b>multiflora</b> , Chinese Cotoneaster .	tr.	1½ to 2 ft.	1 00	8 00	
" " <b>vacillans</b> . . . . .	tr.	2 ft.	1 00		
<b>Crataegus</b> . See <b>Trees</b> .					
<b>Cydonia</b> . See <b>Pyrus</b> .					
<b>Deutzia crenata candidissima</b> . . . . .	tr.	4 to 5 ft.	75	5 00	45 00
" " <b>flore roseo-plena</b> . . . . .	tr.	3½ to 4½ ft.	75	5 00	45 00

## SHRUBS, continued

		Height	Per 10	100	1,000
<b>Deutzia gracilis</b> , Slender Deutzia . . . . .	tr.	6 to 10 in.	\$0 50	\$4 50	\$40 00
" "	" . . . . .	1 to 1½ ft.	60	5 00	45 00
" <b>scabra</b> . . . . .	tr.	1 to 1½ ft.	75	5 00	45 00
<b>Diervilla diervilla</b> ( <i>D. trifida</i> ), Bush Honeysuckle . tr.		1 ft.	50	4 00	
" <b>floribunda</b> . . . . .	tr.	1 ft.	1 00	8 00	
" <b>grandiflora</b> , Rose . . . . .	tr.	1 ft.	1 00	8 00	
" " Variegated . . . . .	tr.	1 ft.	1 00	8 00	
" " White . . . . .	tr.	1 ft.	1 00	8 00	
" <b>japonica</b> . . . . .	tr.	2 to 3 ft.	1 50		
" <b>rivularis</b> , Gattinger's Bush Honeysuckle . tr.		1 ft.	1 00	8 00	
" " . . . . .	tr.	2 ft.	1 50	12 00	
" <b>sessilifolia</b> , High Bush Honeysuckle . . tr.		1 to 2 ft.		2 50	20 00
" " . . . . .	tr.	2 to 3 ft.	60	5 00	45 00
<b>Elaeagnus longipes</b> , Silver Thorn . . . . .	tr.	8 to 12 in.	50	4 00	35 00
<b>Erica scoparia</b> , Brown Heather . . . . .	pots	1 ft.	1 00		
" <b>tetralix</b> , Cross-leaved Heath . . . . .	pots	1 ft.	1 00	8 50	
" <b>vagans</b> , Cornish Heath . . . . .	pots	1 ft.	1 00	8 50	
<b>Euonymus alatus</b> , Burning Bush . . . . .	tr.	4 to 6 in.	75	5 00	
" <b>americanus</b> , Strawberry Bush . . . . tr.		1½ to 2 ft.	50	4 00	35 00
" <b>bungeanus</b> , Bunge's Spindle-tree . . tr.		1 ft.	75	5 00	
" <b>japonicus</b> , Japanese Euonymus . . . tr.		1 ft.	1 00	8 00	
" " <b>microphyllus</b> . . . . .	tr.	6 in.	75	5 00	
" <b>radicans</b> , Climbing Euonymus . . . tr.		6 in.	50	4 00	35 00
" " <b>variegata</b> . . . . .	tr.	6 in.	50	4 00	
" <b>sieboldianus</b> , Siebold's Spindle-tree . . tr.		2 ft.	1 00		
<b>Exochorda grandiflora</b> . . . . .	S.	3 to 6 in.		3 00	
<b>Forestiera</b> . See <b>Adelia</b> .					
<b>Forsythia suspensa</b> , Golden Bell . . . . .	tr.	2½ to 3 ft.	60	5 00	45 00
" <b>viridissima</b> , Dark Green Forsythia . . tr.		1 to 1½ ft.		4 00	35 00
" " . . . . .	tr.	1½ to 2 ft.	50	4 50	40 00
<b>Fothergilla carolina</b> , Small Fothergilla . . . . tr.		6 to 8 in.	2 50		
" <b>major</b> , Large Fothergilla . . . . tr.		1 to 2 ft.	2 50		
<b>Garrya thureti</b> . . . . .	tr.	1 to 1½ ft.	1 00	8 50	
<b>Gaylussacia dumosa</b> , Dwarf Huckleberry . . tr.		4 to 6 in.	1 00	8 50	
<b>Genista tinctoria</b> , Dyer's Whin . . . . .	tr.	1 ft.	75	6 50	
<b>Grevillea rosmarinifolia</b> , Rosemary Grevillea . . tr.		1½ ft.	1 00	8 50	
<b>Hamamelis virginiana</b> , Witch Hazel . . . . tr.		1 ft.	75	6 00	
<b>Hibiscus syriacus</b> , double and single forms, lilac,					
red, white, pink, rose, violet, purple . . . . tr.		1 to 2 ft.	60	5 00	45 00
<b>Hydrangea arborescens</b> , Wild Hydrangea . . . tr.		1 to 2 ft.		3 50	32 50
" " . . . . .	tr.	2 to 3 ft.	50	4 00	37 50
" <b>hirta</b> . . . . .	tr.	1 ft.	1 00	8 50	
" <b>hortensis belzoni</b> , Garden Hydrangea. field-grown, 1 yr.			75	6 00	
" " <b>caeruleescens</b> . . . . .	field-grown, 1 yr.		75	6 00	
" " <b>fimbriata</b> . . . . .	field-grown, 1 yr.		75	6 00	
" " <b>Imperatrice Eugenie</b> . . . . .	field-grown, 1 yr.		75	6 00	
" " <b>japonica alba</b> . . . . .	field-grown, 1 yr.		75	6 00	
" " " <b>rubra</b> . . . . .	field-grown, 1 yr.		75	6 00	
" " <b>nivea</b> . . . . .	field-grown, 1 yr.		75	6 00	
" <b>paniculata</b> , Panicked Hydrangea . . tr.		1 ft.	75	5 00	45 00
" " <b>grandiflora</b> , Large-flow-					
ered Hydrangea . . . tr.		1 ft.	50	4 00	35 00
" " <b>grandiflora</b> . . . . .	tr.	1½ to 2 ft.	60	5 00	45 00
" <b>quercifolia</b> , Oak-leaved Hydrangea . . tr.		1 ft.	2 00	15 00	
" <b>radiata</b> , Downy Hydrangea . . . . tr.		1 to 2 ft.		4 00	35 00
" " . . . . .	tr.	2 to 3 ft.	50	4 50	40 00
<b>Hypericum apocynifolium</b> , Small's St. John's-wort tr.		1½ ft.	5 00		

## SHRUBS, continued

		Height	Per 10	100	1,000
<b>Hypericum ascyron.</b> See <b>Herbaceous Plants, etc.</b>					
" <b>aureum</b> , Large-flowered St. John's-wort tr.		2½ ft.	\$2 00		
" <b>calycinum</b> , Aaron's Beard . . . . . pots	6 to 10 in.			\$2 00	\$17 50
" <b>densiflorum</b> , Dense-flowered St. John's-					
wort . . . . . tr.	2 to 2½ ft.		3 50	30 00	
" " "	2½ to 3 ft.	50	4 00	35 00	
" <b>glomeratum</b> , Mountain St. John's-wort. tr.	1 ft.		4 00	35 00	
" " "	1½ to 2 ft.	50	4 50	40 00	
" <b>lobocarpum</b> , Gattinger's St. John's-					
wort . . . . . tr.	3 ft.	1 00	8 50	80 00	
" <b>moserianum</b> , Hybrid St. John's-wort . tr.	1 ft.	1 00	8 50		
" <b>nudiflorum</b> , Naked-flowered St. John's-					
wort . . . . . tr.	2 ft.	75	5 50	50 00	
" <b>prolificum</b> , Shrubby St. John's-wort . . tr.	2½ to 3 ft.	60	5 00	45 00	
" <b>sphærocarpum</b> . See <b>Herbaceous</b>					
<b>Plants, etc.</b>					
<b>Ilex crenata</b> , Japanese Holly . . . . . pots	6 to 8 in.	65	6 00	55 00	
" " "	tr.	75	7 00	65 00	
" <b>opaca</b> . See <b>Trees</b> .					
" <b>verticillata</b> , Black Alder . . . . . tr.	1 to 2 ft.	65	6 00	55 00	
<b>Itea virginica</b> , Virginia Willow . . . . . tr.	1½ to 2 ft.		4 00	35 00	
" " "	2½ to 3 ft.	60	5 00	45 00	
<b>Jasminum nudiflorum</b> , Naked-flowered Jasmine . tr.	2 ft.		3 50	30 00	
<b>Juniperus chinensis</b> , Chinese Juniper . . . . tr.	1 to 2 ft.	2 50			
" <b>communis</b> , form from China . . . twice tr.	6 to 7 ft.	3 75			
" " " <b>hibernica</b> , Irish Juniper-					
per . . . twice tr.	2½ ft.	2 00			
" " " "	1 ft.	1 00	8 50		
" <b>nana</b> ( <i>J. communis alpina</i> ), Prostrate Juniper . . . . . twice tr.	1 to 1½ ft.	1 00	8 00	75 00	
" <b>recurva densa</b> . . . . . twice tr.	2 to 3 ft.	2 50			
" <b>rigida</b> . . . . . twice tr.	2½ ft.	2 50			
" <b>sabina</b> , Savin Juniper . . . . . twice tr.	1 to 1½ ft.	1 00	8 00	75 00	
" " " <b>prostrata</b> . . . . . tr.	1 ft.	1 00	8 00		
" <b>sphærica</b> , Globular-fruited Juniper-					
per . . . . . twice tr.	2 to 2½ ft.	4 00			
" " " <b>glaucia</b> . . . . . twice tr.	2 to 2½ ft.	4 00			
<b>Kalmia angustifolia</b> , Sheep Laurel . . . . . pots	6 to 12 in.	50	4 50		
" <b>latifolia</b> , Calico-bush . . . . . tr.	1½ to 2 ft.	3 00	27 50		
<b>Lespedeza sieboldii</b> ( <i>L. bicolor</i> ), Siebold's Lespedeza. tr.	1 ft.		3 50	30 00	
<b>Leucothoë catesbeiana</b> , Catesby's Leucothoë . . . pots	6 to 12 in.		3 00	25 00	
" " "	tr.	50	4 50	40 00	
" <b>racemosa</b> , Swamp Leucothoë . . . tr.	1 ft.	50	4 50	40 00	
" " "	1½ to 2 ft.	65	5 50	50 00	
" " "	2½ ft.	75	6 50	60 00	
<b>Ligustrum ibota</b> ( <i>L. amurense</i> ), Amoor Privet . . tr.	1½ to 2 ft.		2 50	20 00	
" <b>japonicum</b> , Japanese Privet . . . . tr.	1 to 1½ ft.	50	4 50	40 00	
" <b>lucidum</b> , Shining-leaved Privet . . . tr.	1 to 2 ft.	50	4 50		
" <b>medium</b> . . . . . tr.	1 to 1½ ft.	50	4 50		
" <b>ovalifolium</b> , California Privet . . . . tr.	1 to 2 ft.		2 00	15 00	
" <b>sinense</b> , Chinese Privet . . . . . tr.	2 to 3 ft.		2 00	15 00	
<b>Lonicera bella</b> ( <i>L. chrysanthia</i> × <i>tatarica</i> ). Hybrid Honeysuckle . . . . . tr.	2 to 3 ft.	50	4 50	40 00	
" <b>fragrantissima</b> , Bush Honeysuckle . . . tr.	3 ft.	60	5 00	45 00	
" <b>orientalis</b> , Oriental Honeysuckle . . . tr.	1 ft.	1 00	8 50		
For other species, see Vines,					
<b>Neviusa alabamensis</b> , Nevin's Fringe-bush . . . tr.	2 ft.	1 00	8 50		

## SHRUBS, continued

		Height	Per 10	100	1,000
<b>Opulaster opulifolius</b> ( <i>Neillia</i> , or <i>Spiraea opulifolia</i> ), Nine Bark . . . . . tr.	4 to 5 ft.	\$0 50	\$4 50	\$40 00	
" " . . . . . tr.	5 to 6 ft.	65	5 50	50 00	
<b>Osmanthus fragrans</b> , Sweet-scented Olive . . . . . tr.	1 ft.	1 00			
<b>Philadelphus grandiflorus</b> , Large-flowered Syringa. tr.	2 to 3 ft.	50	4 50	40 00	
" <i>hirsutus</i> , Hairy Syringa . . . . . tr.	3 ft.	50	4 50	40 00	
" <i>inodorus</i> , Scentless Syringa . . . . . tr.	2 to 3 ft.	50	4 50	40 00	
" <i>lewisii</i> , Western Syringa . . . . . tr.	3 to 4 ft.	1 00	8 50		
<b>Phillyrea angustifolia</b> . . . . . tr.	2 to 3 ft.	1 00	8 50		
" <i>media</i> . . . . . tr.	1 ft.	1 00			
<b>Photinia serrulata</b> . . . . . tr.	1 ft.	1 00	8 50		
<b>Pieris japonica</b> ( <i>Andromeda japonica</i> ), Japanese Andromeda . . . . . pots	6 to 8 in.	1 00			
" <i>nitida</i> ( <i>Andromeda nitida</i> ), Fetter-bush . . tr.	1 to 1½ ft.	1 50	10 00		
<b>Potentilla fruticosa</b> , Shrubby Cinquefoil . . . . . tr.	1½ to 2½ ft.	75	6 50	60 00	
" <i>tridentata</i> . See <b>Herbaceous Plants</b> , etc.					
<b>Prunus laurocerasus</b> , English Laurel . . . . . tr.	1 ft.	75	6 50	60 00	
For other species, see <b>Trees</b> .					
<b>Pyrus arbutifolia</b> . See <b>Aronia</b> .					
" <i>japonica</i> ( <i>Cydonia japonica</i> ), Japanese Quince S. . . . . tr.	6 to 12 in.		2 50	20 00	
" " <i>pygmæa</i> , Dwarf Japanese Quince . tr.	1 ft.	60	5 00	45 00	
" <i>nigra</i> . See <b>Aronia</b> .					
For other species, see <b>Trees</b> .					
<b>Rhamnus cathartica</b> . . . . . tr.	1 to 1½ ft.	60	5 50		
" <i>frangula</i> , Alder Buckthorn . . . . . tr.	1 to 1½ ft.	60	5 50		
" <i>japonica</i> , Japanese Buckthorn . . . . . tr.	3 to 4 ft.	1 00	8 50		
<b>Rhododendron catawbiense</b> , Mountain Rose Bay . tr.	1½ to 2 ft.	3 00	27 50		
" <i>maximum</i> , Great Laurel . . . . . tr.	1½ to 2 ft.	3 00	27 50		
" <i>odoratum</i> . . . . . tr.	1 ft.	2 50			
<b>Rhus aromatica</b> ( <i>R. canadensis</i> ), Sweet-scented Sumac . . . . . tr.	1 ft.	65	5 50	50 00	
" <i>copallina</i> , Upland Sumac . . . . . tr.	2 ft.	75			
" <i>glabra</i> , Smooth Sumac . . . . . S. . . . . tr.	6 to 12 in.		1 00	8 50	
" <i>hirta</i> ( <i>R. typhina</i> ), Staghorn Sumac . . . . tr.	3 to 4 ft.	1 00			
" <i>michauxii</i> , Dwarf Sumac . . . . . tr.	1 to 2 ft.	5 00			
<b>Rosa blanda</b> , Meadow Rose . . . . . tr.	2 ft.	60	5 50	50 00	
" <i>bracteata</i> , McCartney Rose . . . . . tr.	1 ft.	75	7 00	65 00	
" <i>carolina</i> , Swamp Rose . . . . . tr.	1 to 2 ft.	3 00	25 00		
" " . . . . . tr.	3 to 4 ft.	50	4 00	35 00	
" <i>humilis</i> , Low or Pasture Rose . . . . . tr.	1 to 2 ft.	65	5 50	50 00	
" <i>lucida alba</i> . . . . . tr.	1 ft.	1 00			
" <i>multiflora</i> , Japanese Climbing Rose . . . . tr.	1½ to 2 ft.	60	5 00	45 00	
" <i>repens</i> , European Field Rose . . . . . tr.	2 to 3 ft.	1 00			
" <i>rugosa</i> . . . . . tr.	1½ to 2 ft.	1 00	8 00		
" <i>setigera</i> , Prairie Rose . . . . . tr.	1 to 2 ft.	75	7 00	65 00	
" " . . . . . tr.	2 to 3 ft.	1 00	8 00	75 00	
" <i>watsoni</i> . . . . . tr.	1½ ft.	1 00	8 50		
" <i>wichuraiana</i> , Memorial or Chinese Trailing Rose . . . . . tr.	1 ft.		3 00	25 00	
<b>Rubus leucodermis</b> , Western Raspberry . . . . . tr.	2 to 3 ft.	1 00			
" <i>parviflorus</i> ( <i>R. nutkana</i> ), Salmon-berry . tr.	1 ft.	1 00	8 50		
<b>Salix humilis</b> , Prairie Willow . . . . . tr.	2 ft.	1 00			
" <i>nigra</i> . See <b>Trees</b> .					
" <i>sericea</i> , Silky Willow . . . . . tr.	5 to 6 ft.	65	5 50	50 00	
" <i>tristis</i> , Sage Willow . . . . . tr.	2 ft.	1 00			
<b>Sambucus canadensis</b> , Sweet Elder . . . . . tr.	3 ft.	50	4 50	40 00	
<b>Sassafras sassafras</b> ( <i>S. officinale</i> ) . . . . . tr.	2 ft.	1 00			

## SHRUBS, continued

		Height	Per 10	100	1,000
<b>Spiraea alba</b>	tr.	2 to 2½ ft.	\$3 00	\$25 00	
" <b>arguta</b>	tr.	1 ft.	\$0 50	4 00	37 50
" "	tr.	1½ to 2 ft.	60	5 00	
" <b>cantonensis</b> ( <i>S. reevesi</i> ), Single or Double.	tr.	1 to 1½ ft.	60	5 00	45 00
" <b>douglasi</b>	tr.	2 to 3 ft.		3 00	
" "	tr.	3 to 4 ft.	50	4 00	
" <b>japonica</b>	tr.	14 to 16 in.	50	4 00	35 00
" " <b>alba</b>	tr.	9 to 12 in.	60	5 00	45 00
" " <b>bumalda</b>	tr.	9 to 12 in.	60	5 00	
" " <b>macrophylla</b>	tr.	1 ft.	60	5 00	45 00
" <b>latifolia</b>	tr.	2 to 3 ft.	60	5 00	
" <b>margaritae</b>	tr.	1 ft.	60	5 00	45 00
" <b>menziesi</b>	tr.	2 to 3 ft.	1 00	8 50	
" <b>opulifolia</b> . See <b>Opulaster</b> .					
" <b>prunifolia fl. pl.</b>	tr.	1 to 1½ ft.	75	6 00	55 00
" <b>thunbergi</b>	tr.	8 to 10 in.		3 00	25 00
" "	tr.	1 to 1½ ft.	50	4 00	35 00
" "	tr.	1½ to 2 ft.	60	5 00	45 00
" <b>tomentosa</b> , Hardhack or Steeple-bush	tr.	1 to 1½ ft.		3 75	30 00
" "	tr.	2 to 3 ft.	50	4 00	35 00
<b>Staphylea trifolia</b> , Bladder-nut	tr.	2 to 3 ft.	75	7 00	
" "	tr.	3 to 4 ft.	1 00	8 50	
<b>Stephanandra flexuosa</b>	tr.	2½ ft.	1 00	8 00	75 00
<b>Styrax americana</b> , Styrax	tr.	2 ft.	1 25		
" <b>japonica</b>	tr.	1 to 1½ ft.	1 00	8 50	
<b>Symporicarpos mollis</b>	tr.	1 ft.	1 00	8 00	
" <b>occidentalis</b> , Wolfberry	tr.	1 ft.		4 00	35 00
" "	tr.	2 ft.	1 00	8 00	
" <b>racemosus</b> , Snowberry	tr.	1 ft.		4 00	35 00
" <b>symporicarpos</b> ( <i>S. vulgaris</i> ), Coral-berry	tr.	2 to 3 ft.		3 00	25 00
<b>Syringa josikaea</b>	tr.	1½ to 2 ft.	1 00	7 50	
<b>Vaccinium erythrocarpum</b>	tr.	6 to 8 in.	60	5 00	45 00
" <b>stamineum</b> , Deerberry or Buckberry	tr.	6 to 8 in.	60	5 00	45 00
" <b>virgatum</b> , Southern Black Huckleberry	tr.	1 to 1½ ft.	75	7 00	65 00
<b>Viburnum dentatum</b> , Arrow-wood	tr.	1 to 1½ ft.	85	7 50	70 00
" "	tr.	2 ft.	1 00	8 50	80 00
<b>Vitex negundo</b> , Chaste Tree	tr.	2 to 3 ft.	1 00	8 50	
<b>Xanthorrhiza apifolia</b> , Yellow-root	1 yr. tr.		50	3 00	25 00
" "	2 yrs. tr.		75	7 00	65 00
<b>Xanthoxylum americanum</b> , Prickly Ash	tr.	1 to 2 ft.	1 00		
<b>Xolisma ligustrina</b> ( <i>Andromeda ligustrina</i> ), Privet Andromeda	tr.	1 ft.	50	4 00	35 00
<b>Zelkova keaki</b>	tr.	2 ft.	2 50		

# VINES

	Height	Per 10	100	1,000
<b>Actinidia callosa</b> . . . . . tr.	2 ft.	\$1 00		
<b>Akebia quinata</b> , Five-leaved Akebia . . . 2 yrs., tr.	2 ft.	50	\$3 50	\$30 00
<b>Ampelopsis heterophylla</b> , Asiatic Creeper . 3 yrs., tr.		1 25	10 00	
"    " <b>dissecta</b> . . . 3 yrs., tr.		1 25	10 00	
" <b>quinquefolia</b> . See <b>Parthenocissus</b> .				
<b>Bignonia crucigera</b> ( <i>B. capreolata</i> ), Cross-vine . . . . . 1 yr., tr.		75	5 50	50 00
" <b>radicans</b> . See <b>Tecoma</b> .				
<b>Brunnichia cirrhosa</b> , Brunnichia . . . . . 2 yrs., tr.		1 00	8 50	
<b>Celastrus paniculatus</b> . . . . . tr.	1 to 2 ft.	75	6 50	60 00
" <b>scandens</b> , Shrubby or Climbing Bittersweet . . . . . tr.	1 ft.	75	6 50	
<b>Clematis apiifolia</b> , Parsley-leaved Clematis . 1 yr., tr.		1 00	8 50	
" <b>montana</b> , Mountain Clematis . . . 1 yr., tr.		1 00	8 50	
" <b>paniculata</b> . . . . . tr.	2 ft.	75	5 00	
<b>Decumaria barbara</b> , Decumaria . . . . . tr.	6 to 8 in.	1 00	8 50	
<b>Gelsemium sempervirens</b> , Yellow Jessamine . . tr.	2 to 3 ft.	75	6 00	
<b>Hedera helix</b> , English Ivy . . . . . 1 yr., pots		50	4 00	35 00
"    "    . . . . . 2 yrs., pots		75	5 00	45 00
<b>Kadsura japonica</b> . . . . . 1 yr., tr.	1 ft.	75	5 00	45 00
<b>Kraunhia chinensis</b> ( <i>Wistaria chinensis</i> ), Chinese Wistaria . . . . . 2 yrs., tr.		85	7 50	70 00
" <b>frutescens</b> ( <i>W. frutescens</i> ), American Wistaria . . . . . 2 yrs., tr.		85	7 50	
<b>Lonicera japonica</b> , Japanese Honeysuckle . 1 yr., tr.		2 50	20 00	
"    " <b>chinensis</b> , Purple Honeysuckle . . . . 1 yr., tr.		50	3 00	25 00
"    " <b>variegata</b> . . . . . 1 yr., tr.		50	3 00	25 00
" <b>sempervirens</b> , Trumpet or Coral Honeysuckle . . . . . 2 yrs., tr.		50	4 00	35 00
" <b>sullivantii</b> , Sullivant's Honey-suckle . . . . . 2 yrs., tr.		1 00	8 50	
For other species, see Shrubs.				
<b>Parthenocissus quinquefolia</b> ( <i>Ampelopsis quinquefolia</i> ), Virginia Creeper . . . . . 2 yrs., tr.		50	4 00	35 00
<b>Periploca graeca</b> , Silk Vine . . . . . 1 yr., tr.		75	5 00	45 00
"    "    . . . . . 2 yrs., tr.		1 00	7 50	
<b>Smilax bona-nox</b> , Bristly Greenbrier . . . . . tr.	1 to 2 ft.	1 25	10 00	
" <b>hispida</b> , Hispid Greenbrier . . . . . tr.	2 to 3 ft.	1 25	10 00	
" <b>rotundifolia</b> , Catbrier . . . . . tr.	2 to 3 ft.	1 25	10 00	
<b>Tecoma radicans</b> ( <i>Bignonia radicans</i> ), Trumpet-flower . . . . . tr.	3 to 5 ft.	1 00		
<b>Vitis cordifolia</b> , Frost Grape . . . . . tr.	2 ft.	75	5 00	
" <b>labrusca</b> , Fox Grape . . . . . tr.		75	6 50	50 00
"    "    . . . . . 3 yrs., tr.		1 00	8 50	
<b>Wistaria</b> . See <b>Kraunhia</b> .				

# Herbaceous Plants, Grasses and Bamboos.

		Per 10	100	1,000
<b>Achillea millefolium</b> , Yarrow . . . . .	field-grown		\$2 50	\$20 00
<b>Adiantum pedatum</b> , Maidenhair Fern . . . . .	field-grown	\$0 50	3 50	30 00
<b>Artemisia abrotanum</b> , Southernwood . . . . .	field-grown	1 00		
<b>Arundo donax</b> , Great Reed . . . . .	clumps	1 00	7 50	70 00
" "	extra heavy	2 00	15 00	100 00
<b>Arundinaria japonica</b> ( <i>Bambusa metake</i> ), Japanese Cane . . . . .	strong clumps	3 50	30 00	200 00
" <b>macrosperrma</b> , Large American Cane . . . . .	strong clumps	2 75	20 00	150 00
" <b>tecta</b> , Small American Cane . . . . .	strong clumps	2 75	20 00	150 00
<b>Aster novae-angliae</b> , New England Aster . . . . .	field-grown	1 00		
<b>Bamboos</b> . See <b>Arundinaria</b> and <b>Phyllostachys</b> .				
<b>Bellis perennis</b> , European or Garden Daisy . . . . .	1 yr., 2½-in. pots	50	3 50	30 00
<b>Bocconia cordata</b> , Japanese Bocconia . . . . .	field-grown	75	5 00	
<b>Carex japonica</b> . . . . .	field-grown	1 00	7 50	
<b>Castalia tuberosa</b> ( <i>Nymphaea tuberosa</i> ), White Water Lily . . . . .	strong tubers	2 50	22 50	
<b>Chelone lyoni</b> , Lyon's Turtle-head . . . . .	field-grown	75	6 50	
<b>Convallaria majalis</b> , Lily-of-the-Valley . . . . .	field-grown	50	3 00	27 50
<b>Delphinium hybrids</b> , Larkspur . . . . .	pots	1 00	7 50	
<b>Dryopteris acrostichoides</b> , Christmas Fern . . . . .	nursery-grown	75	5 00	45 00
" <b>marginalis</b> , Evergreen Wood-fern . . . . .	nursery-grown	75	5 00	
<b>Elymus glaucus</b> , Smooth Wild Rye . . . . .	field-grown	1 00	7 50	
<b>Erythronium americanum</b> , Yellow Adder's Tongue . . . . .	nursery-grown		4 00	
<b>Eulalia</b> . See <b>Misanthus</b> .				
<b>Galium verum</b> , Yellow Bedstraw . . . . .	field-grown	1 00	7 50	
<b>Gemmungia chinensis</b> ( <i>Belamcanda chinensis</i> ), Black-berry Lily . . . . .	field-grown	50	3 00	
<b>Helianthus atrorubens</b> , Purple-disk Sunflower . . . . .	nursery-grown	1 00	7 50	50 00
" <b>dowellianus</b> , Dowell's Sunflower . . . . .	nursery-grown	1 00	7 50	50 00
<b>Hemerocallis dumortieri</b> , Dwarf Day Lily . . . . .	field-grown	75	5 00	
" <b>fulva</b> , Day Lily . . . . .	field-grown	50	3 00	
<b>Hypericum ascyron</b> , Giant St. John's-wort . . . . .	field-grown	75	5 00	
" <b>sphaerocarpum</b> , Round-podded St. John's-wort . . . . .	field-grown	1 00	7 50	
For other species, see Shrubs.				
<b>Iberis sempervirens</b> , Hardy Candytuft . . . . .	1 yr., tr.	1 00	8 50	
<b>Iris cristata</b> , Crested Dwarf Iris . . . . .	strong field-grown		3 00	25 00
" <b>germanica</b> , Fleur-de-lis . . . . .	strong field-grown		3 50	30 00
" <b>laevigata</b> ( <i>L. kempferi</i> ), Japanese Iris . . . . .	field-grown		3 00	25 00
" " . . . . .	strong plants	50	4 00	35 00
" <b>missouriensis</b> , Western Blue Flag . . . . .	field-grown	1 00	7 50	
" <b>pumila</b> , European Dwarf Iris . . . . .	field-grown		3 00	25 00
" <b>siberica</b> , Siberian Iris . . . . .	field-grown		3 00	25 00
" <b>verna</b> , American Dwarf Iris . . . . .	strong field-grown		3 00	25 00
" <b>versicolor</b> , Large Blue Flag . . . . .	strong field-grown	1 00		
<b>Lilium tigrinum</b> , Tiger Lily . . . . .	strong field-grown	1 00		
<b>Liriope graminifolia</b> ( <i>Ophiopogon spicatus</i> ), Purple-flowered Snake-beard . . . . .	strong field-grown	1 00	8 50	

## HERBACEOUS PLANTS, GRASSES, ETC., continued

		Per 10	100	1,000
<b>Lysimachia nummularia</b> , Moneywort . . . . .	4-inch clumps		\$10 00	
<b>Marshallia grandiflora</b> . . . . .	field-grown	\$2 50		
<b>Menispermum canadense</b> , Canada Moonseed . . . . .	tr.	1 00	8 50	
<b>Miscanthus japonicus</b> ( <i>Eulalia japonica</i> ) . . . . .	clumps	75	5 00	
"    " <b>variegatus</b> ( <i>Eulalia japonica varie-</i> <i>gata</i> ) . . . . .	clumps	75	5 00	
"    " <b>sinensis</b> ( <i>Eulalia gracillima univittata</i> ) . . . . .	clumps	75	5 00	
<b>Nelumbo nelumbo</b> ( <i>Nelumbium speciosum</i> ), Indian Lotus . . . . .	strong tubers	5 00		
<b>Pachysandra procumbens</b> , Alleghany Mountain Spurge . . . . .	field-grown	75	5 50	\$50 00
" <b>terminalis</b> , Japanese Spurge . . . . .	field-grown	75	5 50	50 00
<b>Paeonia, herbaceous</b> , mixed varieties . . . . .	5-yrs., field-grown	1 50	12 00	
" <b>herbaceous</b> , named sorts . . . . .	field-grown	2 00	17 50	
<b>Phlox ovata</b> , Mountain Phlox . . . . .	field-grown	1 00	7 50	
" <b>reptans</b> , Crawling Phlox . . . . .	field-grown	50	4 50	40 00
<b>Phyllostachys aurea</b> , Yellow Bamboo . . . . .	clumps, each, \$1 00			
" <b>kumassasa</b> ( <i>Bambusa viminalis</i> ), Ruscus-leaved Bamboo . . . . .	clumps, each, 65			
" <b>mitis</b> , Tall Bamboo . . . . .	clumps, each, 1 00			
<b>Porteranthus trifoliatus</b> ( <i>Gillenia trifoliata</i> ), Indian Physic or Bowman's Root . . . . .	field-grown	50	4 50	
<b>Potentilla fruticosa</b> . See <b>Shrubs</b> .				
" <b>tridentata</b> , Three-toothed Cinquefoil . . . . .	strong field-grown		5 00	
<b>Sedum spectabile</b> , Large-flowered Orpine . . . . .	strong field-grown	75	5 00	45 00
" <b>telephioides</b> , American Orpine . . . . .	strong field-grown	1 25		
<b>Tanacetum vulgare crispum</b> . . . . .	strong field-grown	50	4 50	40 00
<b>Thymus vulgaris</b> , Thyme . . . . .	field-grown	1 00	8 50	
<b>Tradescantia montana</b> , Spiderwort . . . . .	strong field-grown	50	4 50	40 00
<b>Vernonia noveboracensis</b> , New York Ironweed . . . . .	field-grown	75		
<b>Vinca minor</b> , Periwinkle . . . . .	field-grown, light			7 50
<b>Yucca baccata</b> , Spanish Bayonet . . . . .	field-grown	1 00	8 50	
" <b>filamentosa</b> , Adam's Needle . . . . .	very heavy, 2 yrs., tr.	75	4 00	35 00
"    "    " . . . . .	strong, 2 yrs., tr.	50	3 00	27 50
"    "    " . . . . .	tr.	2 50	17 50	



